




# Crystal surfaces

# 3M™ Scotchcal™ Crystal 7725


Translucent 3M Crystal glass finishes create the effect of etched or sandblasted glass in dusted or frosted styles. For individual lettering and personalisation, the films can be digitally printed and plotter-cut to create graphic designs and characters. The versatile and cost-effective films give free rein to creativity.




Dusted Crystal clear




Frosted Crystal clear




Frosted Crystal pink



Frosted Crystal green



Frosted Crystal blue



Frosted Crystal gold

## Product properties

- Premium pressure-sensitive cast film
- Film thickness: 0.05 to 0.09 mm
- For cutting plotter applications
- Measurements: 1.22 m x 45.7 m / 1.52 m x 45.7 m

## Service life

Up to 15 years (interior)

## Cleaning and maintenance

- Wash with water without abrasive detergents as needed.

| Product  | Décor                 |
|----------|-----------------------|
| 7725-314 | Dusted Crystal clear  |
| 7725-324 | Frosted Crystal clear |
| 7725-323 | Frosted Crystal pink  |
| 7725-326 | Frosted Crystal green |
| 7725-327 | Frosted Crystal blue  |
| 7725-331 | Frosted Crystal gold  |


Visit our website for more information.



Lasting  
frosted effect

# 3M™ Scotchcal™ Crystal 5525 / 5525C

Ideal to transpose a variety of artistic designs to glass in a cost-effective way.  
 The dry-apply Comply™ version is another option for bubble-free film application.



## Product properties

- Polymer calandered pressure-sensitive film
- Film thickness: 0.08 mm
- The 5525C series with the invisible Comply™ adhesive technology ensures quick and bubble-free application
- Measurements: 1.22 m x 50 m / 1.52 m x 50 m

## Service life

- Up to 5 years

## Cleaning and maintenance

- Wash with water without abrasive detergents as needed.

| Product   | Décor             |
|-----------|-------------------|
| 5525-314  | Haze              |
| 5525-324  | Sandblast         |
| 5525C-314 | Haze Comply™      |
| 5525C-324 | Sandblast Comply™ |

Visit our website for more information.